

IMPRESSIVE PERFORMANCE MOULDING SOLUTION



SMART SOLUTION FOR ENHANCE QUALITY



SPINDLE MOULDER

U 1004A





Moulding




Grooving



Arch Moulding



 ${\sf Spindle\,Tilt}$



Full Round



Half Round



SPINDLE MOULDER U 1004A

Umaboy's Spindle moulder machines are frequently utilized for cutting and molding wood to prepare it for a variety of applications, including shutters, windows, frames, doors, and more.

Salient Feature

- The sliding table, mounted on unique bearings, is designed for M.S.
- The spindle is balanced both mechanically and electronically to ensure smooth and vibration-free operation.
- The spindle shaft features a locking system that is both easy to use and highly convenient.
- Ensuring a secure clamp for the tenoning process.

Technical Specification

Model	U 1004A	
Fix table size	1050 x 795 mm	
Degree	450	
Up and Down movement of spindle	75 mm	
Maximum moulding block width	100 mm	
Electric motor	5 HP/2800 rpm	

OPTIONAL TOOL



HIGH SPEED FEEDER

- The auto feeder is an optional accessory for this machine.
- The machine's optimal performance and safety are ensured by 1HP motor
- The auto feeder used on Spindle Moulder, Edge bander for smooth working, safety of worker & Job perfection.



We would love to hear from you!

CONTACT US

HEADQUARTER

3/c. shiv estate, opp. radhika society, near baroda expressway, NH-8, Ahmedabad - 382 445

CONTACT NUMBER

+91-99255 19009

+91-96620 29892